



TRYCARE SURGICAL INSTRUMENTS

[www.trvcaredubai.com](http://www.trvcaredubai.com)

# ENDO UROLOGY

| SPECIALITIES                          |
|---------------------------------------|
| TELESOPES                             |
| CYSTOSCOPE S                          |
| RESECTOSCOPE                          |
| URETHROTOMES                          |
| LASER RESECTOSCOPES                   |
| RESECTOSCOPE MONOPOLAR /BIPOLAR       |
| LITHOTRIATE AND STONE PUNCH           |
| UROLOGICAL INSTRUMENTS                |
| CONVENTIONAL PERCUTANEOUS NEPHROSCOPE |
| MINI PERCUTANEOUS NEPHROSCOPE         |
| SUPER MINI PERCUTANEOUS NEPHROSCOPE   |
| URETEROSCOPE RIGID                    |
| URETEROSCOPE FLEXIBLE                 |
| FLEXIBLE CYSTOSCOPE                   |
| LITHOTRIPTER                          |
| ELECTRO SURGICAL UNIT & CONTAINERS    |

TELESOPES



|                         |       |           |        |           |       |           |       |
|-------------------------|-------|-----------|--------|-----------|-------|-----------|-------|
| 0 degree<br>4mm,302mm   | T3310 | 12 degree | T3312J | 30 degree | T3313 | 70 degree | T3317 |
| 0 degree<br>2.7mm,188mm | T0190 |           |        | 30 degree | T0193 | 70 degree | T0197 |

## ADULT CYSTOSCOPY



|                                                                                                              |              |       |       |
|--------------------------------------------------------------------------------------------------------------|--------------|-------|-------|
| <b>Price: 350\$</b><br><br> | Sheath 16 Fr | 230mm | N4016 |
|                                                                                                              | Sheath 18 Fr | 230mm | N4018 |
|                                                                                                              | Sheath 21 Fr | 230mm | N4021 |
|                                                                                                              | Sheath 24 Fr | 230mm | N4024 |

|                                                                                                               |           |  |       |
|---------------------------------------------------------------------------------------------------------------|-----------|--|-------|
| <b>price: 40\$</b><br><br> | Obturator |  | N4036 |
|                                                                                                               | Obturator |  | N4038 |
|                                                                                                               | Obturator |  | N4034 |
|                                                                                                               | Obturator |  | N4031 |

|                                                                                                                |                  |     |       |
|----------------------------------------------------------------------------------------------------------------|------------------|-----|-------|
| <b>Price: 90\$</b><br><br>  | Visual obturator | F18 | N7718 |
|                                                                                                                | Visual obturator | F21 | N7721 |
|                                                                                                                | Visual obturator | F24 | N7724 |
| <b>price: 250\$</b><br><br> | Working insert   |     | N5001 |

### TELESCOPES BRIDGE AND FORCEPS



Bridge

N5330



Bridge 1 channel


N5331



Bridge 2 channels

N5332

### FLEXIBLE FORCEPS DIA 5 & 2.4 FR X 410




|                                                                                     |                                                           |           |              |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|--------------|
|  | <b>Biopsy Forceps</b>                                     | 2.4 × 410 | <b>N2200</b> |
|                                                                                     |                                                           | F5 × 410  | <b>N2205</b> |
|  | <b>Grasping Forceps<br/>for small fragments</b>           | 2.4 × 410 | <b>N2210</b> |
|                                                                                     |                                                           | F5 × 410  | <b>N2215</b> |
|  | <b>Grasping Forceps<br/>for removal of foreign bodies</b> | 2.4 × 410 | <b>N2220</b> |
|                                                                                     |                                                           | F5 × 410  | <b>N2225</b> |
|  | <b>Scissors</b>                                           | 2.4 × 410 | <b>N2230</b> |
|                                                                                     |                                                           | F5 × 410  | <b>N2235</b> |

### OPTICAL FORCEPS



|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |
| <b>Biopsy Forceps<br/>spoon type</b>                                                | <b>Biopsy Forceps<br/>fenestrated</b>                                               | <b>Grasping Forceps</b>                                                             | <b>Scissors</b>                                                                      | <b>Biopsy Forceps<br/>single action jaw</b>                                           |
| <b>N3010S</b>                                                                       | <b>N3011S</b>                                                                       | <b>N3020S</b>                                                                       | <b>N3030S</b>                                                                        | <b>N3040S</b>                                                                         |

ADULT CYSTOSCOPY





|                                                                                   |              |            |
|-----------------------------------------------------------------------------------|--------------|------------|
|  | Sheath 17 Fr | MN.PGJQ.17 |
|                                                                                   | Sheath 19 Fr | MN.PGJQ.19 |
|                                                                                   | Sheath 21 Fr | MN.PGJQ.21 |
|                                                                                   | Sheath 23 Fr | MN.PGJQ.22 |

|                                                                                     |                         |            |
|-------------------------------------------------------------------------------------|-------------------------|------------|
|  | Catheter Deflecting F17 | MN.TQQ.D17 |
|                                                                                     | Catheter Deflecting F21 | MN.TQQ.D21 |
|                                                                                     | Catheter Deflecting F23 | MN.TQQ.D23 |


|                                                                                     |           |            |
|-------------------------------------------------------------------------------------|-----------|------------|
|  | Obturator | MN.PGJO.17 |
|                                                                                     | Obturator | MN.PGJO.19 |
|                                                                                     | Obturator | MN.PGJO.21 |
|                                                                                     | Obturator | MN.PGJO.23 |

OPERATIVE CYSTOSCOPE



|                                                                                     |                                                     |                |              |
|-------------------------------------------------------------------------------------|-----------------------------------------------------|----------------|--------------|
|   | <b>Telescope 6'</b><br>Instruments<br>Channel F13.5 | <b>F23x210</b> | <b>Y6236</b> |
|  | <b>Sheath</b>                                       | <b>F23x210</b> | <b>N4623</b> |
|                                                                                     | <b>Obturator</b>                                    | <b>F23</b>     | <b>N4053</b> |


SEMI RIGID HAND INSTRUMENTS




|                                                                                     |                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Scissor</b> <b>N3210</b>                                                         | <b>Biopsy Forcep</b> <b>N3211</b>                                                   | <b>Grasping Forcep</b> <b>N3212</b>                                                   |
|  |  |  |

PEADS OPERATIVE CYSTOSCOPE



|                                                                                   |                                                                       |                        |              |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------|------------------------|--------------|
|  | <b>Telescope 0°<br/>Instruments<br/>channel <math>\Phi</math> 1.8</b> | <b>F7.5 – F12 x130</b> | <b>Y1130</b> |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------|------------------------|--------------|

OPERATIVE CYSTOSCOPE





|                                                                                     |                                                      |                  |              |
|-------------------------------------------------------------------------------------|------------------------------------------------------|------------------|--------------|
|  | <b>Telescope 6°<br/>instrument<br/>channel F13.5</b> | <b>F23 x 210</b> | <b>Y6236</b> |
|  | <b>Sheath</b>                                        | <b>F23x210</b>   | <b>N4623</b> |
|                                                                                     | <b>Obturator</b>                                     | <b>F23</b>       | <b>N4053</b> |



## PEADS CYSTOSCOPE 2.9MM



|                                                                                     |                        |       |             |            |
|-------------------------------------------------------------------------------------|------------------------|-------|-------------|------------|
|    | Telescope 0°           | T0190 | Φ 2.7 x 188 |            |
|                                                                                     | Telescope 30°          | T0193 |             |            |
|                                                                                     | Telescope 70°          | T0197 |             |            |
|   | Working Insert         |       | F14         | N5020      |
|  | Sheath                 |       | F9x 150     | N4009      |
|                                                                                     | Obturator              |       | F9          | N4309      |
|  | Sheath 1 channel       |       | F11x150     | N4011      |
|                                                                                     | Obturator              |       | F11         | N4311      |
|  | Sheath                 |       | F14x 137    | N4014      |
|                                                                                     |                        |       | F14         | N4314      |
|  | Bridge                 |       |             | N5321      |
|  | Flexible biopsy Forcep |       | N2310       | F2.4 x 280 |
|  | Grasping Forcep        |       | N2320       |            |

## MONOPOLAR RESECTOSCOPE S VERSION



|                                                                                     |                                        |           |          |
|-------------------------------------------------------------------------------------|----------------------------------------|-----------|----------|
|    | Telescope 30°                          | Φ 4x302   | TH3313   |
|   | Working Element Passive                |           | N5210S-1 |
|                                                                                     | Working Element Active                 |           | N5211S-1 |
|  | Inner Sheath rotatable                 | Fr24      | N4224S-1 |
|                                                                                     | Deflecting Obturator                   |           | N4324S-1 |
|  | Outer sheath                           | F26 X 180 | N4226S-1 |
|  | Visual Obturator                       |           | N5232S-1 |
|  | Adaptor for ELLIK<br>use with N4224S-1 |           | P1012B   |

## MONOPOLAR RESECTOSCOPE S VERSION LOOPS

|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| Cutting Electrode                                                                   | Coagulation Electrode                                                               | Needle Electrode                                                                    | Spike Electrode                                                                      | Roller Electrode                                                                      | Vaporization Electrode                                                                |
| N6350                                                                               | N6355                                                                               | N6357                                                                               | N6351                                                                                | N6352                                                                                 | N6353                                                                                 |

MONOPOLAR RESECTOSCOPE S VERSION





| METAL HANDEL                                                                      | PLASTIC HANDEL                                                                    | METAL HANDEL                                                                      | PLASTIC HANDEL                                                                     | ACTIVE                                                                              |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |
| DQ.SJZD.M                                                                         | DQ.SJZD.M.P                                                                       | DQ.SJBD.M                                                                         | DQ.SJBDP                                                                           | DQ.SJDL                                                                             |

|                                                                                     |                        |             |
|-------------------------------------------------------------------------------------|------------------------|-------------|
|  | Outer sheath 26 Fr     | DQ.NQ       |
|  | Inner Sheath 24 Fr     | DQ.WQ       |
|  | Obturator 24 Fr        | DQ.BKQ.BZ   |
|  | Visual Obturator 24 Fr | DQ.KSBKQ.QX |


BIPOLAR RESECTOSCOPE S VERSION



|                                                                                     |                                        |           |          |
|-------------------------------------------------------------------------------------|----------------------------------------|-----------|----------|
|    | Telescope 30°                          | Φ 4x302   | TH3313   |
|   | Working Element Passive                |           | N5225A   |
|                                                                                     | Working Element Active                 |           | N5224A   |
|  | Inner Sheath                           | Fr 24     | N4224S-1 |
|                                                                                     | Deflecting Obturator                   |           | N4324S-1 |
|  | Outer sheath                           | F26 X 180 | N4226S-1 |
|  | Visual Obturator                       |           | N5232S-1 |
|  | Adaptor for ELLIK<br>use with N4224S-1 |           | P1012B   |



## LASER RESECTOSCOPE ACMI VERSION



|                                                                                     |                                                       |                 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------|-----------------|
|    | <b>Telescope 30 °</b>                                 | <b>T3313</b>    |
|   | <b>Working Element<br/>passive</b>                    | <b>N5800B-2</b> |
|  | <b>Inner sheath 24 Fr with<br/>Obturator standard</b> | <b>N5815-2</b>  |
|  | <b>Sheath with Obturator</b>                          | <b>N5810B</b>   |
|  | <b>Fiber Clip</b>                                     | <b>P8041A</b>   |
|  | <b>Adapter for ELIK</b>                               | <b>P1012F</b>   |

LASER RESECTOSCOPE S VERSION



|                                                                                     |                                                |                           |
|-------------------------------------------------------------------------------------|------------------------------------------------|---------------------------|
|   | <p><b>Outer sheath 26 Fr</b></p>               | <p><b>DQ.NQ</b></p>       |
|  | <p><b>Inner Sheath 24 fr<br/>rotatable</b></p> | <p><b>DQ.WQ</b></p>       |
|  | <p><b>Obturator 24 Fr</b></p>                  | <p><b>DQ.BKQ.BZ</b></p>   |
|  | <p><b>Visual Obturator 24 Fr</b></p>           | <p><b>DQ.KSBKQ.QX</b></p> |

**BIPOLAR/MONOPOLAR RESECTOSCOPE S VERSION**



|                                                                                     |  |                                                                                     |  |                                                                                       |  |
|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|
|  |  |  |  |  |  |
| <b>ELLIK Evacuator</b>                                                              |  | <b>Adaptor for Ellik</b><br>use with N4424 and N4024                                |  | <b>Bladder Syringe</b>                                                                |  |


|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>Cutting Electrode</b>                                                            | <b>Coagulation Electrode</b>                                                        | <b>Needle Electrode</b>                                                             | <b>Spike Electrode</b>                                                               | <b>Roller Electrode</b>                                                               | <b>Vaporization Electrode</b>                                                         |
| <b>N6350</b>                                                                        | <b>N6355</b>                                                                        | <b>N6357</b>                                                                        | <b>N6351</b>                                                                         | <b>N6352</b>                                                                          | <b>N6353</b>                                                                          |

**High frequency leads**

|                                                                                     |  |                                                                                    |                 |
|-------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------|-----------------|
|  |  | <b>HF - Cable</b><br>with use N5210S-1 on page 12<br>Length: 3 m, ■ 4 mm           | <b>P1096S-1</b> |
|  |  | <b>HF - Cable, bi - polar</b><br>use with F1690 coagulation forceps<br>Length: 3 m | <b>P1098-2</b>  |

PEADS RESECTOSCOPE



|                                                                                   |                                                                                    |              |           |       |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------|-----------|-------|
|  |  | Telescope 0° | 2.7 × 188 | T0190 |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------|-----------|-------|

|                                                                                     |                 |       |
|-------------------------------------------------------------------------------------|-----------------|-------|
|   | Sheath          | N4213 |
|                                                                                     | Obturator       | N4273 |
|  | Working Element | N5220 |

HF - RESECTION ELECTRODES




|                                                                                     |       |                                                                                      |       |
|-------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------|-------|
|  |       |  |       |
| Needle Electrode                                                                    | N6410 | Cutting Electrode                                                                    | N6411 |



## UROLOGY

### OPTICAL URETHROTOME




|                                                                                     |                                                                                    |              |         |       |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------|---------|-------|
|    |  | Telescope 6" | 4 × 302 | T3316 |
|    | Sheath                                                                             | F22 × 210    | N4420   |       |
|   | Obturator                                                                          | F22          | N4422   |       |
|  | Guiding Sheath                                                                     | F23          | N4421   |       |
|  | Working Element passive                                                            |              | N5212   |       |


### COLD KNIVES



|                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| Cold Knife round                                                                    | Cold Knife straight                                                                 | Cold Knife hook - shaped                                                             | Cold Knife semi - circular                                                            |
| N6010                                                                               | N6020                                                                               | N6030                                                                                | N6040                                                                                 |

OPTICAL URETHROTOME S VERSION




|                                                                                     |                                 |            |
|-------------------------------------------------------------------------------------|---------------------------------|------------|
|   | Urethrotome sheath 21 Fr        | MN.NDQKJ.Q |
|  | Half Supplementary sheath 21 Fr | DQ.BKQ.ZK  |
|  | Standard Obturator 21 Fr        | DQ.BKQ.BZ  |


COLD KNIVES

|                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| Cold Knife round                                                                    | Cold Knife straight                                                                 | Cold Knife round                                                                     | OPTICAL URETHROTOME                                                                   |
| N6010                                                                               | N6020                                                                               | N6030                                                                                | N6040                                                                                 |

PEADS OPTICAL URETHROTOME



|                                                                                   |                                                                                   |              |           |       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|-----------|-------|
|  |  | Telescope 0° | 2.7 × 188 | T0190 |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|-----------|-------|

|                                                                                     |                          |           |       |
|-------------------------------------------------------------------------------------|--------------------------|-----------|-------|
|  | Sheath                   | F13 X 110 | N4413 |
|                                                                                     | Obturator                | F13       | N4083 |
|  | Working Element passive  |           | N5222 |
|  | Cold Knife Straight      |           | N6021 |
|  | Cold Knife Round         |           | N6031 |
|  | Cold Knife Sickle shaped |           | N6011 |

LITHOTRIATE AND STONE PUNCH



Telescope T3317 not included!

|                                                             |           |              |
|-------------------------------------------------------------|-----------|--------------|
| <b>Stone Grasping Forceps</b> use with T3317 Telescope, 70° | F24 × 230 | <b>N3110</b> |
|-------------------------------------------------------------|-----------|--------------|

STONE PUNCH



|                                                                                     |                                                                 |           |              |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------|--------------|
|  | Telescope 0°                                                    | ♂4 × 302  | <b>T3310</b> |
|  | <b>Punch</b><br>use with T3310 Telescope 0°<br>and N4424 Sheath |           | <b>N3120</b> |
|  | Sheath                                                          | F24 × 240 | <b>N4424</b> |
|                                                                                     | Obturator                                                       | F24       | <b>N4094</b> |

UROLOGICAL INSTRUMENTS

|                                                                                   |                     |       |
|-----------------------------------------------------------------------------------|---------------------|-------|
|  | Urethral Bougie F 9 | N7809 |
|                                                                                   | Urethral Bougie F12 | N7812 |
|                                                                                   | Urethral Bougie F14 | N7814 |
|                                                                                   | Urethral Bougie F16 | N7816 |
|                                                                                   | Urethral Bougie F18 | N7818 |
|                                                                                   | Urethral Bougie F20 | N7820 |
|                                                                                   | Urethral Bougie F22 | N7822 |
|                                                                                   | Urethral Bougie F24 | N7824 |
|                                                                                   | Urethral Bougie F26 | N7826 |
|                                                                                   | Urethral Bougie F28 | N7828 |
|                                                                                   | Urethral Bougie F30 | N7830 |
|                                                                                   | Urethral Bougie F32 | N7832 |


|                                                                                     |          |       |
|-------------------------------------------------------------------------------------|----------|-------|
|  |          |       |
| Urethrotome                                                                         | F17- F30 | N7020 |

|                                                                                     |       |    |       |
|-------------------------------------------------------------------------------------|-------|----|-------|
|  | Probe | F2 | N7302 |
|                                                                                     |       | F3 | N7303 |
|                                                                                     |       | F4 | N7304 |
|                                                                                     |       | F5 | N7305 |
|                                                                                     |       | F6 | N7306 |

|                                                                                      |           |       |
|--------------------------------------------------------------------------------------|-----------|-------|
|  |           |       |
| Knife N6050 not included!                                                            |           |       |
| Urethrotome OTIS - type                                                              | F18 - F30 | N7030 |

|                                                                                     |       |       |
|-------------------------------------------------------------------------------------|-------|-------|
|  | Knife | N6050 |
|-------------------------------------------------------------------------------------|-------|-------|

PERCUTANEOUS NEPHROSCOPE




|                                                                                     |                            |           |        |
|-------------------------------------------------------------------------------------|----------------------------|-----------|--------|
|    | Telescope<br>channel Fr 11 | F18 X 27  | Y6270  |
|                                                                                     | Three way stopcock         |           | N5482  |
|  | Sheath                     | F21 x 210 | N 4630 |


|                                                                                      |          |       |
|--------------------------------------------------------------------------------------|----------|-------|
|  |          |       |
| Dilator                                                                              | F 6 – 27 | N5530 |

Forcep Tri prong and Two prong 8 FR



MINI PERCUTANEOUS NEPHROSCOPE



|                                                                                     |                         |                 |
|-------------------------------------------------------------------------------------|-------------------------|-----------------|
|    | <p>Telescope 12 °</p>   | <p>Y6270-11</p> |
|   | <p>Sheath F16 X 230</p> | <p>N4630-11</p> |
|  | <p>Sheath F20 x 230</p> | <p>N4630-12</p> |

|                                                                                                           |                   |                                                                                                     |
|-----------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------------------------|
| <p>Tube for Laser</p>  | <p>550 micron</p> | <p>N 5482-11</p>                                                                                    |
| <p>Rigid Forcep</p>                                                                                       | <p>Fr 5 X 330</p> |  <p>N1030E</p> |

SUPER MINI PERCUTANEOUS NEPHROSCOPE



Working Channel  
F3.3

|                                 |                         |         |
|---------------------------------|-------------------------|---------|
| Nephroscope 0° for Super - Mini | use with sheath N5391-3 | YS261-3 |
| heath                           | F8 309                  | N5391-3 |




|                             |          |
|-----------------------------|----------|
| Suction Sheath Y -<br>shape | N4730A-1 |
|-----------------------------|----------|



SUPER MINI PERCUTANEOUS NEPHROSCOPE

|                                                                                   |         |         |                                                                                     |          |
|-----------------------------------------------------------------------------------|---------|---------|-------------------------------------------------------------------------------------|----------|
|  |         |         |  |          |
| Suction Sheath                                                                    | F12 140 | N4731-2 | Obturator                                                                           | N4731B-1 |
| Suction Sheath                                                                    | F12 80  | N4742-1 | Obturator                                                                           | N4742 B  |
| Suction Sheath                                                                    | F14 140 | N4733-2 | Obturator                                                                           | N4733B-1 |
| Suction Sheath                                                                    | F14 80  | N4744-1 | Obturator                                                                           | N4744B   |
| Suction Sheath                                                                    | F14 160 | N4754   | Obturator                                                                           | N4754B   |
| Suction Sheath                                                                    | F18 160 | N4737-3 | Obturator                                                                           | N4737B-3 |



URETERO RENOSCOPE /URS














|                                  |                |              |           |
|----------------------------------|----------------|--------------|-----------|
| Ureter Reno scope channel 6 FR   | Fixed stopcock | Fr 8.5x425mm | Y1430A-15 |
| Ureter Reno scope channel 5.4 FR | Fixed stopcock | Fr 7.5x425mm | DZ11169   |
| Ureter Reno scope channel 4 FR   | Fixed stopcock | Fr 7.5x425mm | Y1430D 1  |


PEADS URETERO RENOSCOPE /URS



|                                  |                |              |         |
|----------------------------------|----------------|--------------|---------|
| Ureter Reno scope channel 5.4 FR | Fixed stopcock | Fr 4.5x425mm | Y1430-E |
|----------------------------------|----------------|--------------|---------|



VIDEO FLEXIBLE CYSTOSCOPE 5.7MM



- ☐ Features:
  - Illumination: Optical fibers
- ☐ Technical Data:
  - Image sensor: **1/10" CMOS**
  - Field of view: 110°
  - Direction of view: 0°
  - Depth of the field: 3~50 mm
  - Direction: up 210° down 120°
  - Outer diameter: Distal part: 5.7 mm  
Insertion part: 5.7 mm
  - Working length: 380 mm \*\*)
  - Working channel: 2.2 mm
  - LCD Screen: 3.5"
  - Battery: 3.7 V / 3600 mA, Lithium, chargeable  
4 hours ( on continuous use )

Portable Video - Cystoscope

■ 5.7 × 380

DR060380B - 1



Control unit see page 86

- ☐ Features:
  - Illumination: Optical fibers
- ☐ Technical Data:
  - Image sensor: **1/10" CMOS**
  - Field of view: 110°
  - Direction of view: 0°
  - Depth of the field: 3 ~50 mm
  - Direction: Up 210° Down 120°
  - Outer diameter: Distal part: 5.7 mm  
Insertion part: 5.7 mm
  - Working length: 380 mm \*\*)
  - Working channel: 2.2 mm


Flexible Video - Cystoscope

■ 5.7 × 380

DR060380 - 1

\*\*) Other working length on demand.

URETERO RENO FIBERSCOPE



- ☐ Features:
  - Illumination: Optical fibers
  - Light guide connector for light guide cable and light source
- ☐ Technical Data:
  - Field of view: 90°
  - Direction of view: 0°
  - Depth of the field: 2 ~ 40 mm
  - Image bundle: 10000 pixels
  - Direction: Up 270° Down 270°
  - Outer diameter: Insertion tube 2.9 mm  
Distal part 2.2 mm
  - Working length: 650 mm
  - Working channel: 1.2 mm

|                          |           |          |
|--------------------------|-----------|----------|
| Uretero- Reno Fiberscope | 2.2 × 650 | R030650A |
|--------------------------|-----------|----------|

## VIDEO FLEXIBLE URETER SCOPE


☐ Features:

- Illumination: Optical fibers

☐ Technical Data:

- Image sensor: 1 / 19" CMOS
- Field of view: 110°
- Direction of view: 0°
- Depth of the field: 2 – 50 mm
- Direction : Up 270° Down 270°
- Outer diameter: distal part: 3.3 mm  
Insertion part: 3.3 mm
- Working length: 670 mm
- Working channel: 1.1 mm

☐ Features:

- Control Unit for camera
- Light source

☐ Functions:

- White balance, manual
- Special imaging, manual
- USB Storage

☐ Technical Data:

- Lamp type : LED 60 W
- Color temperature : 5000 K – 6500 K
- Life time of lamp : 10,000 h
- Power : 150 W
- Video output : DVI, HD-SDI

☐ Size: 400 mm × 400 mm × 112mm

☐ Weight: 6 kg

|                          |             |            |
|--------------------------|-------------|------------|
| Video Uretero Reno scope | Φ 3.3 x 670 | DR 030670Y |
| Control Unit             |             | P6676E     |

GRASPING FORCEPS



|                                                                                     |                                 |                     |                 |
|-------------------------------------------------------------------------------------|---------------------------------|---------------------|-----------------|
|  | <b>Grasping Forcep</b>          | <b>F 1.8 X 1200</b> | <b>N2070A-1</b> |
|  | <b>Grasping basket</b>          | <b>F 2.2 X 1200</b> | <b>N2070-2</b>  |
|  | <b>Grasping Basket with Tip</b> | <b>F 2.5 X 1200</b> | <b>N2071-2</b>  |
|  | <b>Grasping Forcep tiplis</b>   | <b>F 2.5 X 1200</b> | <b>N2072-2</b>  |
|  | <b>Grasping Forcep with tip</b> | <b>F3 X 1200</b>    | <b>N2071-3</b>  |
|  | <b>Grasping Basket tiplis</b>   | <b>F3 X 1200</b>    | <b>N2072-3</b>  |

## PNEUMATIC LITHOTRIPTER



- ☐ Features:
  - Start / Stop pressure output
  - Pneumatic control parts made from alloy material
  - Atraumatic
- ☐ Functions:
  - Manual frequency adjustment
  - Manual air pressure adjustment
- ☐ Technical Data:
  - Pressure output adjustment: 0 - 7 bar
  - Pressure input: 5 - 8 bar
  - Pressure output: 2 - 3 bar ( recommend )
  - Power: 20 Watt
  - Power supply: AC 100 V - 240 V 50/60 Hz
  - Stone smashing frequency: mono; 1 Hz; 5 Hz; 12 Hz
- ☐ Size: 400 mm × 172 mm × 300 mm ( W × H × D )
- ☐ Weight: 10 kg

Pneumatic Lithotripter - ELE

N5730E



- ☐ Features
  - Professional designed handpiece for long life time


ELE Hand Piece

N5720-3

## PROBES




|       |             |       |           |       |             |       |           |       |             |
|-------|-------------|-------|-----------|-------|-------------|-------|-----------|-------|-------------|
| Probe | ■ 0.8 × 600 | Probe | ■ 1 × 600 | Probe | ■ 1.6 × 600 | Probe | ■ 2 × 400 | Probe | ■ 1.4 × 600 |
| N5701 |             | N5702 |           | N5703 |             | N5705 |           | N5708 |             |



Tube

N5725A






Handle

N5725B



PNEUMATIC LITHOTRIPTER



## DIATHERMY



- ☐ Usage:
  - The electro surgical generator can be used for resectoscopy, hysteroscopy, laparoscopic surgery
- ☐ Technical Data:
  - Resection power: 300 Watt
  - Coagulation power: 150 Watt
  - Power: 800 Watt
  - Power supply: AC 100 V - 120 V 50/60 Hz or AC 200 V - 240 V 50/60 Hz
  - Frequency: 512 kHz
- ☐ Size: 390 mm × 160 mm × 400 mm ( W × H × D )
- ☐ Weight: 14 kg

HF - Generator S900C

P1030E



**HF - Cable** for resectoscopy  
Length: 3 m, ■ 4 mm

P1096



**HF - Cable** for hysteroscopy  
and laparoscopy  
Length: 3 m, ■ 4 mm

P1097



**HF - Cable, bi - polar**  
use with F1687- 2 coagulation forceps  
for dissecting  
Length: 3 m

P1098-3



**HF - Cable**  
with use N5210S-1 on page 12  
Length: 3 m, ■ 4 mm

P1096S-1



**HF - Cable, bi - polar**  
use with F1690 coagulation forceps  
Length: 3 m

P1098-2

CONTAINER AND STERILIZATION BOXES



**BX09 660X140X80mm**  
Sterilizing box for Ureterorenoscopy



**BX07 425X84X42mm**  
Sterilizing box for  
Endoscope



**BX06 700x120x70mm**  
Sterilizing box for Ureterorenoscopy



OFFICE NO 110, 1<sup>ST</sup> FLOOR HAMAD KHAMIS AL GHUWAIS BUILDING  
DAMASCUS STREET AL QUSAIS INDUSTRIAL 1 DUBAI UAE

EMAIL: [tricare.dubai@gmail.com](mailto:tricare.dubai@gmail.com)

CONTACTS: 00971563910282